GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Servants – M.A.&U.D. Department - Allegation of corruption in execution of a civil work pertaining to construction of 928 houses Units) in 29 block in G+3 patterns in Survey No.21 at Paradesipalem under JNNURM Scheme in GVMC., Visakhapatnam City by the Engineering Officials of GVMC, Visakhapatnam in collusion with the Contractor – Certain irregularities committed by Sri Ch.Subrahmanya Raju, the then Asst., Engineer (Retd.) - Sanction under Rule 9 of A.P.Revised Pension Rules, 1980 – Orders - Issued.

MUNICIPAL ADMINISTRATION & URBAN DEVELOPMENT (VIG.I) DEPARTMENT

G.O.MS.No. 262 **Dated: 23-09-2019**
Read:-

G.O.Rt.No.611, M.A. & U.D. (Vig.I) Dept., dated:23.09.2019.
*** * ***

O R D E R:

Whereas it has been made appear that the irregularities committed by Sri Ch.Subrahmanya Raju, the then Asst., Engineer (Retd.), Greater Visakhapatnam Municipal Corporation, Visakhapatnam caused huge loss to the Govt. Exchequer in execution of a civil work pertaining to construction of 928 houses (units) in 29 blocks in G+3 patterns in survey No. 21 at Paradesipalem under JNNURM scheme GVMC limits, Visakhapatnam city; and whereas Government have come to a conclusion that there exists a prima facie case to initiate departmental action against Sri Ch.Subrahmanya Raju, the then Asst., Engineer (Retd.), Greater Visakhapatnam Municipal Corporation, Visakhapatnam.

2. Now, therefore, sanction is accorded under sub-clause (i) of clause (b) of sub-rule (2) of Rule 9 of Andhra Pradesh Revised Pension Rules, 1980 to initiate Departmental Proceedings against the said Sri Ch.Subrahmanya Raju, the then Asst., Engineer (Retd.), Greater Visakhapatnam Municipal Corporation, Visakhapatnam.

3. It is further directed that the said Departmental Proceedings shall be conducted in accordance with the procedure laid down in Rule 20 of A.P.Civil Services (Classification, Control & Appeal) Rules, 1991 by the Government.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

J. SYAMALA RAO
SECRETARY TO GOVERNMENT

To
Sri Ch.Subrahmanya Raju, the then Asst. Engineer (Retd.);
(Through the Engineer-in-Chief, Public Health, A.P., Guntur).
The Engineer-in-Chief, Public Health, A.P., Guntur.
Copy to:
The Commissioner, GVMC., Visakhapatnam.
The Director General, Anti Corruption Bureau, AP, Vijayawada
The Secretary to A.P.Vigilance Commission, 5th Building, A.P. Secretariat.
The Principal Accountant General (A&E), A.P., Vijayawada.
SF/SCs.

// FORWARDED :: BY ORDER //

SECTION OFFICER